

16562 U.S. PTO
09/23/03

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

PATENT APPLICATION TRANSMITTAL UNDER 37 C.F.R. §1.53(B)

03940 U.S. PTO
10/668683
09/23/03

Mail Stop Patent Application
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Attorney Docket No.: 30169/30001

Sir:

Enclosed herewith for filing under 37 C.F.R. §1.53(b) is the nonprovisional patent application of:

Inventor(s): A. Schaefer, J. Pfeiffer, K. Szczypinski and J. Schnabel

Title: A CIRCUIT DEVICE WITH CLOCK PULSE DETECTION
FACILITY

1. Type of Application

This is an application for a utility patent

CERTIFICATION UNDER 37 C.F.R. §1.10

I hereby certify that this Patent Application Transmittal and the documents referred to as enclosed herewith are being deposited with the United States Postal Service on **September 23, 2003**, in an envelope addressed to the Mail Stop Patent Application, Commissioner for Patents, P.O. Box 1450, Alexandria, Virginia 22313 utilizing the "Express Mail Post Office to Addressee" service of the United States Postal Service under Mailing Label No. EV323776379US.


Richard Zimmermann

2. Application Papers Enclosed

- 1 Title page
- 23 Pages of specification (excluding claims, abstract, drawings & sequence listing)
- 3 Pages of claims
- 1 Abstract page
- 2 Sheets of informal drawings (Figs. 1 to 2)

3. Declaration or Oath

Enclosed and unexecuted.

4. Priority Under 35 U.S.C. §119

The present application claims priority under 35 U.S.C. §119 from each application listed below, and a certified copy of each application will be filed later.

COUNTRY	APPLICATION NO.	FILED
Germany	102 44 400.5	September 24, 2002

5. Additional Papers Enclosed

Return receipt postcard.

6. Method of Payment of Fees

No fees are enclosed.

7. Correspondence Address


Customer No.: 04743

Respectfully submitted,

MARSHALL, GERSTEIN & BORUN LLP

Date: September 23, 2003

By:



Paul C. Craane
Registration No. 38,851
6300 Sears Tower
233 South Wacker Drive
Chicago, Illinois 60606-6357
(312) 474-6300